



HUMIDIFICATION  
THE STEAM AIR HUMIDIFIER FOR  
OPTIMUM WELLNESS. HYGIENIC.  
EASY TO OPERATE. AND WITH A  
WORLD OF FRAGRANCES.

## CONDAIR CP3 STEAM BATH



# Condair CP3 steam bath

HUMIDIFICATION



Hygienic steam

Simply connect the Condair CP3 steam bath to your drinking water supply system: Without any additional water treatment it will produce hygienic steam and mix it with the air in the cabin. Accurate control of steam quantity and temperature is possible.



The world of fragrances

If desired, the fragrance pump conveys essential oils into the cabin shortly before the steam flows in. The oils mix with the steam. This means customized recreation for you and your guests: lavender for calming, rosemary for vigour, eucalyptus for concentration, thyme for a pleasant mood...



Remotely controlled

The operating console for the Condair CP3 steam bath has been adapted to suit hotels, spas and wellness centres. Via Modbus, your Condair CP3 can be easily integrated in your building management system so that it can be operated and controlled centrally like all your other facilities.



### Key benefits

#### Why the Condair CP3 steam bath?

##### Relaxing.

Ensure the ultimate chill-out experience for your guests: A steam bath is mentally and physically relaxing without putting too much stress on the body due to great temperature differences.

##### Health.

The humid and warm air has a preventive effect against colds. At a recommended temperature of 45°C (± 5°C), people should stay in the bath for 15 to 20 minutes.

##### Comfort.

The Condair CP3 steam bath can be operated from the hotel reception desk if desired. Your guests are not required to do anything.

##### Drinking water is sufficient

the Condair CP3 steam bath made of high-quality materials has a long service life and requires little maintenance. Thus many weeks will pass until the next maintenance session, and your guests can enjoy and relax without any disturbance.



Condair CP3 steam bath

##### Tailor-made

Steam and fragrant quantities will respond promptly to your pre-set values in the menus. This means you can meet your guests' wishes without delay.

##### Easy regulation and control

You can communicate with the operating desk of your Condair CP3 steam bath in "plain language". It is absolutely easy to regulate not only steam supply, but also temperature, fragrance, light intensity and fan speed.



# CONDAIR CP3 STEAM BATH

## Your Condair CP3 steam bath at a glance



Condair CP3 steam bath

- Flavour function
- Fragrance pump
- Steam nozzle
- Temperature sensor
- Large display
- Day and week programming
- Modbus protocol
- Remote troubleshooting

## Technical Data

Heating voltage		Steam output/Power consumption	
400VAC/3, 50...60Hz	kg/h	5...8	16...25
	kW	3.8...6.0	12.0...18.8
	kg/h	9...15	26...45
	kW	5.8...11.3	19.5...33.8
230VAC/3, 50...60Hz	kg/h	5...8	16...21
	kW	3.8...6.0	12.0...15.75
	kg/h	9...15	22...30
	kW	6.75...11.25	16.5...22.5
200V/3, 50...60Hz	kg/h	5...8	16...23
	kW	3.6...5.8	11.6...16.5
	kg/h	9...15	24...31
	kW	6.5...11	17.4...22.5
230VAC/1, 50...60Hz	kg/h	5.8	
	kW	3.8...6.0	
200VAC/2, 50...60Hz	kg/h	5.8	
	kW	3.6...5.8	
Operating weight empty		21	28
Operating weight filled		26	65
Dimensions (W x H x D) in mm		456 x 620 x 280	559 x 667 x 350
Control voltage		230VAC/1, 50..60Hz	
Control signals		0..10V (Temperatur sensor)	
Water quality		untreated drinking water	
Protection		IP 21	
Conformity		CE, GOST,VDE	

Solutions for Indoor Climate

HEATING  
VENTILATION  
COOLING  
HUMIDIFICATION  
DEHUMIDIFICATION

Walter Meier (Climate International) Ltd.  
Talstrasse 35-37, 8808 Pfäffikon, Switzerland  
Tel. +41 55 416 61 11, Fax +41 55 416 62 62  
info@waltermeier.com, www.waltermeier.com

**walter  
meier**